

SUPPLEMENT TO



The Gazette of India

No. 367

NEW DELHI. SATURDAY, SEPTEMBER 3, 1949

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India and some of the Indian States during the week ending the 30th July, 1949

std. mid-year pop. 52,929
thousands)

(Estd. mid-year pop. 22,880
thousands)

total for w/e

Total for w/
92-7-19

total for w/o

Total for w/e

-yearly mean for

Figure 1a—f

Explanation of the symbols used : - C=Cases ; D=Deaths

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India and some of the Indian States during the week ending the 30th July, 1949—*contd.*

	CHOLERA		SMALLPOX		PLAQUE			CHOLERA		SMALLPOX		PLAQUE		
	C.	D.	C.	D.	C.	D.		C.	D.	C.	D.	C.	D.	
Bengal, West										United Provinces— <i>contd.</i>				
Burdwan	5		Basti	
Birbhum	3	2	1	1		Azamgarh	
Bankura	..	1		Nainital	
Midnapur	10	6	3		Almora	5	1	..	
Hooghly	1		Garhwal	20	6	..	
Howrah	10	5	9	3		Lucknow	3	1	
24-Perganas	10	2	10	1		Unao	..	16	12	
Calcutta	65	9	1	..	3	..		Rae Bareli	
Nadia	1		Sitapur	
Murshidabad	1	1		Hardoi	
Molda	1		Kheri	
West Dinajpur		Fyzabad	
Jalpaiguri		Gonda	
Darjeeling		Bahraich	
Total	95	26	25	6	3	..		Sultanpur	3	1	
(Estd. mid-year pop. 22,669 thousands)										Partabgarh
Total for w/e 23-7-49	185	32	22	17	9	..		Bara Banki	
Total for w/e 16-7-49	125	34	43	9	10	1		Total	125	60	48	12	..	
7-yearly mean for the week										(Estd. mid-year pop. 59,192 thousands)				
Total for w/e 23-7-49	811	160	88	10		Total for w/e 16-7-49	170	99	78	21	..	
United Provinces										Total for w/e 16-7-49	232	97	45	16
Dehra Dun		7-yearly mean for the week	808	364	63	20	1	
Saharanpur	6	1		Punjab, East	
Muzaffarnagar		Hissar	1	1	..	
Meerut	14	2		Rohtak	
Bulandshahr	1		Gurgaon	
Alligarh	3	2	10		Karnal	0	1	
Mathura	3		Ambala	
Agra	11	7		Simla	
Mainpuri	4	3		Kangra	
Htah		Hoshiarpur	
Bareilly	10	1	1	1		Jullundur	
Bijnor	2		Ludhiana	1	
Budaun		Ferozepur	1	
Moradabad		Amritsar	
Shahjahanpur		Gurdaspur	5	5	
Pilibhit		Total	11	6	3	1	..	
Farrukhabad		(Estd. mid year pop. 14,890 thousands)	
Etawah	10	3		Total for w/e 23-7-49	6	4	6	3	..	
Kanpur	13	9	2		Total for w/e 16-7-49	5	3	11	6	..	
Fatehpur	5	2	2		7-yearly mean for the week	32	15	5	2	..	
Allahabad		Explanation of the symbols used :—C=Cases; D=Deaths.	
Jhansi								
Jalaun	5	4								
Hamirpur	7	6								
Banda								
Benares	2								
Mirzapur	6	2								
Jaunpur								
Ghazipur	2								
Ballia	2	1								
Gorakhpur	2	2								
Deoria	5	3								

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts and towns in India and some of the Indian States during the week ending the 30th July 1949—contd.

	CHOLERA		SMALLPOX		PLAQUE			CHOLERA		SMALLPOX		PLAQUE		
	O.	D.	O.	D.	O.	D.		O.	D.	O.	D.	O.	D.	
Bihar								Assam						
Patna	21	6		Cachar
Gaya	2		Khasi and Jaintia Hills
Shahabad	1		Naga Hills
Saran	6		Lushai Hills
Champaran	2	2	4	1		Goalpara
Muzafferpur		Kamrup	..	2	..	1
Darbhanga		Darrang	..	12	14
Monghyr	3		Nowgong
Bhagalpur		Sibaagar
Saharsa		Lakhimpur
Purnea		Saidya & Frontier Tracts
Santal Parganas	6	3		Garo Hills
Hezaribagh	8	1		Total	14	14	1
Ranchi	19	13	2		(Estd. mid-year pop. 7,611 thousands)						
Manbhum	16	6	6		Total for w/e 23-7-49
Palamau	10	2		Total for w/e 16-7-49	3	1
Singhbhum		7-yearly mean for the week	45	20	14	4
Total	89	33	12	1								
(Estd. mid-year pop. 37,690 thousands)														
Total for w/e 23-7-49	111	40	38	11	4	3		Orissa						
Total for w/e 16-7-49	133	48	57	8	15	8		Cuttack	..	14	13
7-yearly mean for the week	1614	739	80	22	1	..		Balasore
Central Provinces								Puri	..	5	5
Nagpur	8	8		Sambalpur	..	49	25	5	1	..
Wardha		Khandimals
Chanda	9	4	11		Ganjam Plains
Chhindwara		Ganjam Agency	5	1
Betul	30	6		Koraput	32	22	..
Bhandara	37	8	17	3		Keonjhar
Jubbulpore	16	8	8		Dhenkanal
Saugor	15	4		Balangir-Patna	..	33	27	3
Mandla	6	2		Sundergarh
Hoshangabad	21	7	1		Phulbani
Nimer		Angul
Belaghat		Mayurbhanj
Raipur	1		Total	..	101	70	45	24	..
Bilaspur	2	1		(Estd. mid-year pop. 7,697 thousands)						
Drug		Total for w/e 23-7-49	..	157	119	11	1	..
Bastar	44	32		Total for w/e 16-7-49	..	208	147	48	12	..
Surguja		7-yearly mean for the week	..	320	171	146	24	..
Raigarh	14	7		Ajmer-Merwara (Urban)						
Amracti								
Yeotmal	3	1								
Akola	4	3								
Buldana	4	..	4	1								
Total	200	78	47	7		TOTAL	4	1
(Estd. mid-year pop. 17,666 thousands)								(Estd. mid-year pop. 240 thousands)						
Total for w/e 23-7-49	177	78	49	8		Total for w/e 23-7-49	1
Total for w/e 16-7-49	162	84	32	4		Total for w/e 16-7-49	2	1	..
7-yearly mean for the week	557	300	89	14		7-yearly mean for the week	..	1	..	1	1	..

Explanation of the symbols used:—C=Cases; D=Deaths.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India and some of the Indian States during the week ending the 30th July, 1949—concl'd.

Reported attacks and deaths from cholera, smallpox, Plague and typhus in districts in India and some of the Indian States during the week ending the 30th July 1949—*contd.*

CHOLERA	SMALLPOX	PLAQUE	CHOLERA	SMALLPOX	PLAQUE
---------	----------	--------	---------	----------	--------

—	C.	D.	C.	D.	C.	D.	—	C.	D.	C.	D.	C.
---	----	----	----	----	----	----	---	----	----	----	----	----

ARREAR INFORMATION

Bengal, West

(w/e 23-7-49)

Burdwan	3	..	2	2	24-Parganas	..	7	6
Birbhum	5	2	..	—	—	—	Total	..	7	6
Bankura	14	6	3	2	..	—	(for w/e 21-5-49)	..	1	2
Midnapur	17	5	2	2	—	—	24 Parganas	..	1	2
Hooghly	5	2	1	1	—	—	Total	..	1	2
Howrah	8	1	1	1	(for w/e 23-5-49)
24-Parganas	14	1	2	2	..	—	Hooghly	3
Calcutta	56	11	9	6	9	..	24 Parganas	..	1	3	2
Nadia	13	4	—	West DinaJPUR	..	1	..	3
Jalpaiguri	1	—	Total	..	2	6	5	2	..
Malda	1	1	..	—	U. P.
Total	135	32	22	17	9	..							

(Estd. mid year pop. 22,669
thousands)

SUPPLEMENTARY INFORMATION

Bombay

(For w/e 16-7-49)

Nasik	6	Indore	1
Ahmednagar	1	Mandsaur	6
Total	7	—	Total	7
(for w/e 23-7-49)	(for w/e 16-7-49)
East Khandesh	4	1	..	—	Bhind	..	3	1
West Khandesh	2	2	—	Indore	1
Poona	1	—	Mandsaur	12	4	..
Thana	1	2	—	Nimar	22	8	..
Ahmednagar	10	2	..	—	Shivpuri	..	12	9
Total	..	3	4	15	3	..	Total	..	18	10	35	7	..

Explanation of the symbols used:—C=Cases; D=Deaths.

NEW DELHI 3 (INDIA); }
The 22nd August, 1949. }

S. P. JAIN,
for Registrar General, India.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India and some of the Indian States during the week ending the 6th August, 1949.

	CHOLERA						SMALLPOX						PLAQUE						CHOLERA						SMALLPOX							
	C.	D.	C.	D.	C.	D.		C.	D.	C.	D.	C.		C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.					
INDIA												Bengal, West																				
Madras												Bengal, West																				
Vizagapatam	.	28	11	11	Burdwan	.	.	19	7	1	1				
Chicacole	.	9	7	17	6	..	.	Birbhum	.	.	2	1				
East Godavari	.	261	161	21	Bankura	.	.	7	3	2	1				
West Godavari	.	214	101	3	2	..	.	Midnapur	.	.	11	7	..	2				
Kistna	.	19	7	6	1	..	.	Hooghly				
Guntur	.	81	47	68	15	..	.	Howrah	.	.	12	5	3	3			
Nellore	45	9	..	.	24-Parganas	.	.	2	1	3	3			
Cuddapah	.	19	13	46	17	..	.	Calcutta	.	.	42	6	5	2	7			
Kurnool	4	3	2	..	Nadia	.	.	2	..	1				
Bellary	Mysorehishabad	1			
Anantapur	Malda			
Madras	.	89	5	29	4	..	.	West Dinajpur			
Chingleput	.	53	25	16	4	..	.	Jalpaiguri			
Chittoor	.	29	12	9	1	..	.	Darjeeling			
North Arcot	.	97	45	..	1	..	.	Total	.	97	30	14	12	8	1		
Salem	.	11	3	7	3	1	..	(Estd. mid-year Pop. 22,669 thousands.)			
Cumbatore	10	2	..	.	Total for w/e 30-7-49	.	95	26	25	6	3		
South Arcot	.	10	3	5	Total for w/e 23-7-49	.	185	32	22	17	9		
Tanjore	.	1	1	1	7-yearly mean for the week	.	218	115	47	22			
Trichinopoly	4	3	..	.	United Provinces																								
Madura	Dehra Dun		
Ramnad	.	4	3	Saharanpur	.	6	1	
Tinnevelly	1	..	Muzaffernagar	
Nilgiris	Meerut	.	23	7	
Malabar	Bulandshahr	.	2	2	1	
South Kanara	12	2	..	.	Aligarh	.	15	7	1	
Total	.	870	444	355	84	0	1	Mathura	.	18	7	
(Estd. mid-year Pop. 52,929 thousands.)	Agra
Total for w/e 30-7-49	.	801	369	362	74	8	2	Mainpuri
Total for w/e 23-7-49	.	990	472	344	79	2	1	Etah
7-yearly mean for the week	.	954	429	329	62	34	20	Bareilly	.	6	2
Bombay												United Provinces																				
Bombay	7	Bijnor
Ahmedabad	1	Budaun
Kaira	1	Moradabad	.	3	2	3	1
Broach	Shahjahanpur	.	9	2
Panch Mahals	Pilibhit	.	14	7
Surat	.	2	1	Farrukhabad	.	13	7
Thana	.	10	6	16	Etawah	.	22	11
Bombay Suburban	54	10	9	2	Kanpur	.	27	12	1	1
Ahmednagar	.	5	3	5	2	..	.	Fatehpur
East Khandesh	.	18	6	5	2	..	.	Allahabad	.	12	6
West Khandesh	.	88	37	Jhansi
Naik	.	29	16	11	3	1	.	Jalun	.	1
Poona	.	5	4	16	1	..	.	Hemirpur	.	7	4
Satara	Banda																								

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India and some of the Indian States during the week ending the 6th August, 1949—contd.

	CHOLERA						SMALLPOX						PLAQUE							CHOLERA						SMALLPOX						PLAQUE					
	C.	D.	O.	D.	C.	D.	C.	D.	O.	D.	C.	D.	C.	D.	O.	D.	C.	D.	O.	C.	D.	O.	D.	C.	D.	O.	D.										
United Provinces—contd.												Bihar—contd.																									
Nainital	Bhagalpur								
Almora	1	Saharsa								
Garhwal	Purnea	18	10							
Lucknow	Santal Parganas								
Unnao	Hazaribagh	12	6	3							
Rae Bareli	4	2	1	1	Ranchi	17	8							
Sitapur	2	1	6	Manbhum	7	2	6							
Hordoi	2	1	Palamu	8	3							
Kheri	Singhbhum	27	6	2							
Faizabad	TOTAL	117	44	21							
Gonda	(Estd. mid-year Pop. 37,690 thousands.)																			
Bahraich	Total for w/e 30-7-49												89	33	12	1								
Sultanpur	Total for w/e 23-7-49												111	40	38	11	4	3								
Partabgarh	7-yearly mean for the week												1,332	646	88	26	1	..								
Bareilly	Central Provinces																									
7-yearly mean for the week.												Central Provinces																									
Punjab, East												Bihar																									
Hissar	1	Nagpur	22	13							
Rohtak	3	3	Wardha								
Gurgaon	Chanda	10	5	4							
Karnal	8	4	Chhindwara	2	1							
Ambala	Betul	3	1							
Simla	Bhandara	45	11							
Kangra	Jubbulpore	15	6	1	1							
Hoshiarpur	Saugor	14	9							
Jullundur	Mandla	3	3							
Ludhiana	Hoshangabad	8	5	8							
Ferozepur	1	Nimar							
Amritsar	2	Balaghat							
Gurdaspur	Raipur	6	4	7	2							
(Estd. mid-year Pop. 14,690 thousands.)												Bihar																									
Total for w/e 30-7-49												Bihar																									
Total for w/e 23-7-49												7-yearly mean for the week																									
7-yearly mean for the week												Bihar																									
Bihar												Bihar																									
Patna	16	6	(Estd. mid-year Pop. 17,066 thousands.)																									
Gaya	Total for w/e 30-7-49																									
Shahabad	4	2	6	Total for w/e 23-7-49																									
Saran	18	1	4	7-yearly mean for the week																									
Champaran	Bihar																									
Muzaffarpur	Bihar																									
Darbhanga																										

Reported attacks and deaths from cholera, smallpox, plague and typhus in India and some of the Indian States during the week ending the 6th August, 1949.—*Contd.*

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India and some of the Indian States during the week ending the 6th August, 1949—concl'd.

	CHOLERA						SMALLPOX						PLAQUE						
	C.		D.		C.		D.		C.		D.		C.		D.		C.		
	Cochin State						Mysore State												
TOTAL	
	Hyderabad State						Bangalore						Mysore State						
Hyderabad	1	Bangalore	6	3	11	8			
Nanded	..	3	2	2	2	..	Chitaldrug	15	4			
Parbhani	..	1	Hassan	12	2	4	4			
Shir	1	Kolar	5	3	2	..			
Solapur	..	8	1	11	1	..	Mandy	2	2	2	..			
Udhar	..	1	31	Mysore	11	..	12	8			
Waranabad	17	Shimoga	7	2			
Zarimnagar	2	3	Tumkur	5	1	9	5			
Zillabhad	..	10	8	Kadur	4	2			
Zizamabad	2	TOTAL	2	2	43	11	62	31				
Zedak	..	1	1	TOTAL			
Algonda	18	4	Grand Total for	Unions and States	..	151	54	116	41	121	53				
Zahboobnagar	..	60	18	3	Grand Total for	Provinces, Unions	..	1,854	862	689	177	178	69				
Zderabad	6	Grand Total for	Provinces, Unions	..										
Zderabad city	..	5	1	1													
TOTAL	89	29	37	11	59	22													
	Kashmir State						TYPHUS												
Basti	..	16	8	40 Cases and 12 deaths of typhus were reported in Baramulla district in Kashmir State during the week.												
TOTAL	16	8													

NEW DELHI 3, (INDIA); }
The 29th August, 1949. }

S. P. JAIN,
for Registrar General, India.

NATIONAL SAVINGS CERTIFICATES

Are now available in three different series, maturing after 5, 7 and 12 years. The certificates yield 3%, 3½% and 4-1/6% simple interest respectively, at maturity. The 12 years certificates increase your money by 50% but if necessary can be encashed after 18 months (Rs. 5/- certificates after 12 months). The 5 and 7 years certificates can be encashed at any time.

National Savings Certificates are obtainable in denominations of 5, 10, 50, 100, 500, 1,000 and 5,000 and you can invest upto Rs. 25,000 in them (inclusive of any Post Office cash certificates held).

Full particulars obtainable from all post offices, District Organisers of the Small-Savings Scheme, Assistant National Savings Officers, Provincial National Savings Officers or the National Savings Commissioner, Simla.

TODAY'S SAFEST AND MOST PROFITABLE INVESTMENT

Births and deaths from principal diseases in towns with a population of over 30,000 in the Provinces of India and some of the Indian States for the week ending the 30th July 1949.

Deaths from :—

Town	Mid-1949 Popn. Est. (000)	Deaths from :—										D.R.*	
		B	B.R.*	C.	S.	P.	F.	D.D.	R.D.	Total			
A.—INDIA													
Madras													
Adoni	35	44	64.6	1	0	22	32.3		
Ambur	38	19	26.0	4	..	5	21	28.8		
Aruppukottai	36	49	70.9	9	8	3	29	41.9		
Bellary	63	42	34.5	1	5	8	28	23.0		
Cannanore	35	35	52.0	2	..	2	14	20.8		
Coimbatore	100	135	44.0	1	13	15	68	22.1		
Cuddalore	62	77	64.6	2	4	3	26	21.8		
Dindigul	67	40	31.1	2	3	16	12.4			
Eluru	71	51	37.2	3	2	5	34	24.8		
Erode	44	59	69.2	1	1	1	16	18.8		
Guddiyattam	39	51	87.4	13	1	10	2	49	64.8		
Guntur	99	122	64.1	4	8	8	40	21.0		
Kakinada†	82	88	56.5	1	4	8	35	22.1		
Kancheepuram		
Kozhikode†		
Kumbakonam	71	100	73.3	5	26	19.1		
Kurnool†		
Madras	998	1051	54.8	4	3	..	51	95	266	803	41.8		
Mangalore	73	107	59.8	..	1	..	5	7	6	40	27.4		
Marupatam	11	64	54.6	2	3	4	33	28.1		
Mathurai	287	289	52.4	11	9	31	140	25.4		
Mayuram	33	28	43.7	1	1	..	14	21.8		
Melapalayam	22	12	7.3	2	13	7.9		
Negapatnam	57	38	34.0	1	1	1	17	15.0		
Nellore	65	47	37.6	..	2	..	4	4	8	52	41.6		
Palamcottah	34	41	63.6	1	0	17	26.4		
Palghat	60	62	53.5	1	4	5	34	29.3		
Rajahmundry	84	69	39.1	2	2	1	48	19.8		
Rajapalayam†	1	2	14	70	23.8		
Salem	153	140	49.7	5		
Srirangam	37	28	39.9	2	4	21		
Tanjore	70	82	60.7	5	6	43	31.5		
Tellicherry	41	27	34.0	1	4	14	17.6		
Tenali	46	39	44.7	3	4	2	22	25.0		
Tiruchirappalli	174	139	59.6	3	3	84	25.9		
Tirunelveli	64	55	44.9	7	7	39	31.8		
Tiruppur	46	56	63.8	5	1	13	14.3		
Tiruvannamalai	38	43	58.2	1	3	1	15	20.1		
Tuticorin	88	57	33.6	1	2	6	33	19.4		
Vaniyambadi	88	30	40.8	1	1	4	18	24.0		
Vellore	63	160	99.8	1	3	7	12	61	38.4		
Vijayavada	108	79	38.2	10	5	5	39	18.8		
Virudhunagar	36	42	61.0	1	1	2	1	..		
Vizagapatam†	58	55	49.6	5	4	5	30	32.4		
Vizianagram		
TOTAL	3,783	3,783	51.9	23	6	..	133	230	483	2,164	29.1		

* In cases of towns where there have been an abnormal movement of population it is likely that the population estimates may not be sufficiently reliable.

Explanation of symbols used :—B=Births; B.R.=Birth rate; C=Cholera; S=Smallpox; P=Plague; F=Fever; D.D.=Dysentery and Diarrhoea; R.D.=Respiratory diseases; D.R.=Death rate.

† Figures not available.

211
Births and deaths from principal diseases in towns with a population of over 30,000 in the Provinces of India and some of the Indian States for the week ending the 30th July 1949—*contd.*

Deaths from :—

Town

Mid-1949 Popn. Est. (000)	Deaths from :—								Total	Rate
	B.	B.R.*	C.	S.	P.	F.	D.	R.D.		

A.—INDIA—*contd.*

Bombay

Ahmedabad	826	380	36.5	159	15	34	333	21.9	
Ahmednagar	64	43	34.7	1	2	5	17	13.7	
Amalner	44	26	30.7	5	..	3	14	16.8	
Bandra	97	71	38.0	2	6	11	38	20.3	
Baroda C.ty	184	139	44.7	45	1	7	90	25.4	
Barsi	41	16	20.4	2	1	1	10	12.7	
Belgaum	75	33	22.8	4	2	1	23	15.9	
Bhusawal	43	27	32.4	2	5	6.0	
Bijapur	57	30	27.5	2	4	2	20	18.4	
Bombay	1,764	1,049	30.9	..	1	..	32	43	185	828	24.4	
Broach	74	44	31.0	8	2	3	25	17.6	
Dharwar	64	28	24.1	1	1	15	14.5	
Dhulia	65	14	11.3	10	2	1	23	18.5	
Gadag-Betgeri	65	31	24.8	14	2	4	35	28.0	
Godhra	48	11	12.0	5	..	1	8	8.7	
Hubli	106	38	18.7	5	..	3	26	12.8	
Jalgaon	61	42	36.1	5	15	12.9	
Kalyan†												
Kolhapur	112	66	30.6	5	8	3	36	18.2	
Kurla	46	21	23.6	5	4	3	19	21.3	
Malegaon	40	28	36.4	5	19	6	6	38	49.0	
Nadiad	66	49	45.1	22	..	1	20	26.7	
Namik.	58	44	29.5	3	1	4	36	32.3	
Navsari city	45	35	40.8	12	13	15.1	
Pandharpur	37	12	17.1	7	5	5	29	41.3	
Parle Andheri	60	39	36.2	..	1	..	4	3	1	14	13.0	
Patan city	42	49	60.5	10	3	2	20	24.7	
Poona	307	220	38.8	..	1	..	21	6	25	119	20.2	
Satara	40	19	25.0	2	1	2	18	19.7	
Sholapur	260	142	28.4	13	0	29	115	23.0	
Surat		232	163	36.6	27	8	19	97	21.8	
TOTAL		4,989	3,115	32.4	5	3	..	451	138	362	2,104	21.9

Bengal, West

Assansol†												
Bally	67	11	8.5	1	1	2	7	5.4	
Bankura	59	3	2.6	3	2.6	
Baranagar	60	28	21.2	5	6	3	21	16.9	
Berhampur	53	5	4.9	1	9	2	2	17	16.0	
Bhatpara	144	30	10.9	11	..	3	34	12.3	
Budge-Budge	30	2	2.7	2	3	..	6	8.0	
Burdwan	82	13	8.2	1	2	1	7	4.4	
Calcutta	2,896	913	16.4	9	88	92	178	743	13.4	
Champdani	37	9	12.6	1	3	4.2	
Garden-Reach	110	13	6.2	3	1	..	10	4.8	
Hoogly-Chinsura†												
Howrah	508	76	7.8	5	3	..	21	30	40	183	18.8	
Kamarhati†												
Krishnagar	38	2	1	..	5	6.8	
Midnapur	52	10	9.9	4	9	8.9	
Nababwip	40	16	20.7	12	2	1	19	24.6	
Naihati	52	5	5.1	1	..	3	8	8.1	
Serampur	68	16	12.1	6	1	2	23	17.4	
South Suburban	83	5	3.1	1	4	6	19	11.9	
Titagarh	64	30	24.5	21	1	..	24	10.6	
Tollygunj		87	2	1.2	
TOTAL		4,549	1,187	13.0	16	3	..	188	143	241	1,141	13.0

Explanation of symbols used :— B=Birth, B.R.=Birth rate; C=Cholera; S=Smallpox; P=Plague; F=Fevers; D.D.=Dysentery and Diarrhoea; R.D.=Respiratory Disease; D.R.=Death rate.

† Figures not available.

Births and deaths from principal diseases in towns with a population of over 30,000 in the provinces of India and some of the Indian States for the week ending the 30th July 1949—*contd.*

Deaths from:—

Town	Mid-1944 Popn-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	Total	D.R.*
A—INDIA—<i>contd.</i>											
United Provinces											
Agra	301	312	54.1	6	0	36	102	17.7
Allahabad	307	109	18.5	1	1	93	65	11.1
Amroha	65	51	40.8	—	—	—	3	2	6	27	21.6
Bahraich	45	18	20.8	1	...	1	6	6.0
Bairampur	49	13	22.4	1	5	8.6
Banaras	301	251	43.4	80	11	12	185	32.0
Bareilly	219	153	36.4	30	13	29	82	19.5
Budaun	68	27	24.4	6	...	6	14	12.7
Dehra Dun	71	32	23.4	2	2	1	12	8.8
Etawah	58	70	62.7	1	12	1	12	49	43.9
Faisabad-Ajodhyn	65	30	28.3	...	1	...	1	...	4	10	9.4
Farrukhabad-Fatehgarh	62	41	34.4	15	4	4	30	25.2
Ferozabad	54	25	24.3	6	10	9.7
Ghazipur	35	20	30.2	5	1	1	12	18.1
Gorakhpur	106	41	20.3	6	4	1	14	6.9
Hapur	41	24	30.6	6	1	2	12	15.2
Hardwar-Union	47	27	29.9	10	1	3	22	24.4
Hathras	53	70	77.7	1	11	...	5	22	21.6
Jaunpur	61	21	21.6	7	...	3	13	13.3
Jhansi	65	41	25.2	1	1	...	23	4	...	42	23.8
Kanpur	630	297	24.6	1	106	38	36	273	22.6
Khurja	39	36	48.4	5	...	1	13	17.5
Koil-Aligarh	137	56	21.4	16	1	...	21	8.0
Lucknow	443	310	37.5	67	0	25	146	17.2
Mathura	90	80	46.3	18	1	12	47	27.2
Meerut	139	105	39.4	18	6	20	57	21.4
Mirzapur-Vindhyaechal	79	39	25.7	11	1	2	25	16.5
Moradabad	169	120	37.0	3	11	15	70	21.6
Muzaffarnagar	56	30	27.8	7	2	1	14	19.0
Pilibhit	51	36	36.6	10	4	3	30	30.5
Saharanpur	128	106	43.1	26	2	4	51	20.8
Sambhal	62	34	28.7	...	8	...	13	1	...	28	23.0
Shahjahanpur	128	72	20.4	37	...	7	53	21.6
Sitapur	35	21	31.2	6	...	1	10	14.0
TOTAL	4,249	2,736	33.6	4	10	...	576	130	286	1,572	19.3
Punjab, East											
Ambala	51	22	23.3	5	8	8.1
Amritsar	495	147	15.5	10	12	34	114	12.0
Batala	54	30	29.1	5	10	9.7
Rhjwani	51	60	61.8	5	12	12.4
Faridkot	36	18	25.8	2	3	4.3
Ferozepore	47	51	56.7	1	3	7	7.8
Hissar	31	25	41.4	...	1	...	5	10	16.6
Hoshiarpur	43	26	31.9	5	...	1	9	11.0
Jullundur	142	10	3.7
Karnal	46	20	22.4	1	9	3.4
Ludhiana	148	106	37.5	2	...	4	17	6.0
Moga	36	27	38.8	1	...	1	3	4.3
Panipat	42	47	52.7	6	8	10.0
Rewari	34	17	23.8	2	...	1	5	7.0
Rohtak	59	64	50.6	3	...	2	14	12.4
TOTAL	1,315	670	26.5	...	1	...	54	13	46	223	8.8

Explanation of symbols used:—B=Births; B.R.=Birth rate, C=Cholera; S=Smallpox; P=Plague; F=Fevers; D.D.=Dysentery and Diarrhoea, F.D.=Respiratory Diseases, D.R.=Death rate.

Births and deaths from principal diseases in towns with a population of over 30,000, in the provinces of India and some of the Indian States for the week ending the 30th July 1949.—*contd.*

Deaths from :—

Town	Mid-1949 Popn-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	Total	D.R.*
A.—INDIA—concl.											
<i>Return not received.</i>											
Bihar											
Central Provinces											
Akola	75	54	37.4	1	1	..	10	6.9
Amravati	75	80	55.8	8	2	4	20	19.9
Bilaspur	43	31	37.9	1	5	1	..	17	20.8
Burhanpur	62	41	34.2	11	4	1	28	23.4
Chanda	42	37	45.7	1	1	16	19.8
Demoh†											
Ellichpur	34	42	64.5	2	..	1	7	10.7
Hinganghat	33	29	46.3	2	2	2	14	22.3
Jubbulpore	170	114	34.8	..	5	..	25	10	14	60	20.2
Khandwa	42	32	39.9	8	1	4	19	23.7
Nagpur †											
Nagpur Civil Station †											
Raigarh											
Sangrur											
Wardha	86	40	58.3	1	1	..	0	8.7
Yeotmal	31	30	50.0	6	..	2	10	16.7
TOTAL	643	530	42.9	1	5	..	69	23	26	213	17.2
Assam											
Orissa											
Berhampur	48	50	53.5	1	13	2	..	30	32.1
Cuttack	82	62	39.7	8	11	1	52	33.3
Puri	44	24	28.6	7	3	2	29	34.8
TOTAL	174	136	40.6	1	28	16	3	111	33.2
Ajmer-Merwara											
Ajmer	170	80	24.4	13	5	12	42	12.8
Bewar	44	30	35.7	9	2	4	18	21.4
TOTAL	214	110	26.7	20	7	16	60	14.6
Delhi Province											
Delhi City	667	469	36.6	..	3	..	71	11	15	142	11.1
New Delhi	118	173	76.4	1	1	1	32	14.2
TOTAL	785	642	42.5	..	3	..	72	12	16	174	11.5
Patiala and East Punjab States											
Patiala	82	36	25.2	3	2	2	13	8.2
Rajasthan Union											
Alwar	59	5	4.4	1	..	2	8	7.4
Bikaner†											
Jaipur	198	100	26.2	33	7	5	80	23.3
Udaipur	71	12	8.8	1	1	..	4	14	10.3
TOTAL	328	117	18.5	1	1	..	38	7	7	111	17.5
Saurashtra Union											
Jamnagar	85	45	27.6	28	4	7	56	34.3
Junagadh†											
Porbandar	61	33	28.1	4	4	..	20	17.0
TOTAL	146	78	27.7	32	8	7	76	27.1
Cochin											
Ernakulam	55	35	33.1	2	7	6.6
Mattancherry	65	52	41.9	2	3	2	16	13.9
Trichur	67	115	88.9	2	2	3	17	13.2
TOTAL	187	202	56.2	6	5	5	40	11.1
Mysore											
Bangalore City	312	334	55.7	8	25	32	161	33.9
Kolar Gold Fields	174	103	36.0	6	31	10	95	33.2
Mysore City	187	66	21.9	5	3	..	33	12.9
TOTAL	673	493	38.1	19	59	42	289	22.3

Explanation of symbols used :—B=Births ; B.R.=Birth rate ; C=Cholera ; S=Small pox ; P=Plague ; F=Fever ; D.D.=Dysentery and diarrhoea ; R.D.=Respiratory diseases ; D.R.=Death rates.

† Figures not available

REMARKS

The figures of births and deaths shown in this statement for the week ending the 30th July, 1949, relate to 168 towns with an estimated population of 22,130 thousands. The total number of towns is 213 and their population is 26,943 thousands. Thus 79% of the total number of towns representing 85% of the total population is covered in this statement. The numbers of births and deaths recorded in these towns were 13,834 and 8,291 representing birth and death rates of 32.5 and 19.5 per thousand of population respectively.

(A) *Indian Provinces*.—The data here relate to 186 towns with an estimated population of 20,714 thousands. Information from Bihar and Assam could not be included. The total number of towns is 189 and their population is 23,320 thousands. Thus 83% of the total number of towns representing 88% of the total population is covered. The number of births and deaths recorded in these towns were 12,908

and 7,762 representing birth and death rates of 32.4 and 19.5 per thousand of the population respectively. The table at the end gives the position by provinces:—

Guddiyattam in Madras was the only town which recorded a high death rate of 64.8 per thousand of the population. This high death rate was mainly due to the large number of deaths from cholera.

(B) *Unions and States*.—The data here relate to 12 towns with an estimated population of 1,416 thousands. The total number of towns is 24 and their population is 2,623 thousands. Thus 50% of the total number of towns representing 54% of the total population is covered. The number of births and deaths recorded in these towns were 926 and 529 representing birth and death rates of 34.0 and 19.4 per thousand of the population respectively. No town recorded a high death rate of 50 or over per thousand of the population.

Provinces	Current w/e 30-7-49		Corresponding w/e last year		Corresponding mean during the previous 5 years period	
	B. R.	D. R.	B. R.	D. R.	B. R.	D. R.
Madras	51.9	20.7	52.7	23.2	49.3	26.4
Bombay	32.4	21.9	34.3	21.9	31.2	23.9
Bengal, West	13.6	13.0	12.8	14.2	10.9	13.2
U. P.	33.6	19.3	40.3	20.6	36.5	23.6
Punjab, East	26.5	8.8	15.7	7.6	29.9	14.5
G. P.	42.9	17.2	36.8	20.7	37.1	23.4
Orissa	40.6	33.2	52.5	33.0	34.3	27.1
Ajmer-Merwara	26.7	14.6	29.2	15.1	38.3	22.6
Delhi	42.5	11.5	27.3	12.4	37.0	19.6
Indian Provinces	32.4	19.5	34.5	19.4	31.1	20.6

NEW DELHI 3 (INDIA); }
The 29th August 1949. }

S. P. JAIN,
for Registrar General, India.